Deborah.Easterling

From: Deborah.Easterling
Sent: Tuesday, September 04, 2012 3:14 PM
To: 'Linda Stevenson'
Subject: RE: Protest_Letter

Dear Mr. Bradberry,

This is to acknowledge receipt of your second Letter of Protest emailed to the Public Service Commission. I am forwarding the email and Letter of Protest to our Clerk's Office for processing. The email and Letter of Protest will become a part of Docket No. 2012-177-WS and will be posted on our website under this docket.

Please let me know if you should require any additional information.

Sincerely,

Deborah Easterling
Administrative Assistant

-----Original Message-----
From: Linda Stevenson [mailto:lks@comporium.net]
Sent: Tuesday, September 04, 2012 10:03 AM
To: PSC_Contact
Subject: Protest_Letter

Protest_Letter

The attached file is the filled-out form. Please open it to review the data.

Public Service Commission of South Carolina
101 Executive Center Dr., Suite 100
Columbia, SC 29210

Phone: 803-896-5100
Fax: 803-896-5199
www.psc.sc.gov
Email form to: contact@psc.sc.gov

Print Email

* Required Fields

Letter of Protest
in Docket 2012 - 177 - WS

Date: * September 5, 2012

Protestant Information:

Name * Tim Bradberry

Mailing Address * 2002 Marquesas Avenue

City, State Zip * Tega Cay , SC 29708 Phone * 803-396-8895

E-mail

1. What is your connection or interest in this case? * For example, are you a customer of the Company that is the subject of this pending proceeding? (This section must be completed. Attach additional information if necessary.)

Customer

2. Please give a concise statement of your protest. * (This section must be completed. Attach additional information if necessary.)

We recently built a home. We were told the sewer line was within 25 ft of the house. When we went to install the sewer line, we had to tie in over 100 ft away down a steep slope to the main sewer line. This cost us an additional $4000. I'm not sure what the $1200 Sewer Tap fee paid to TCWS was for since they did nothing. TCWS refused to run the water line near our home. They originally said the meter would be near the house, but when it was determined the line was not big enough they chose to take the cheaper route of placing it at the road. This cost us an additional $900. We paid a $600 Tap Fee to TCWS for the meter installation with the understanding it would be within a few feet of our home. The manholes on and near our property continually have an odor. This makes being near them when we are at our dock an unpleasant experience.

3. Do you wish to make an appearance at a hearing in this proceeding , if scheduled, and offer sworn testimony? *

If available in Tega Cay