STATE OF SOUTH CAROLINA

(Caption of Case)

In re: Application of Chem-Nuclear Systems, LLC for an Adjustment in the Levels of Allowble Costs and for Identification of Allowable Costs (FY 2010-2011)

BEFORE THE
PUBLIC SERVICE COMMISSION
OF SOUTH CAROLINA

COVER SHEET

DOCKET NUMBER: 2000 - 366 - A

(Please type or print)

Submitted by: Robert T. Bockman, Esquire

Address: McNair Law Firm, P.A.
Post Office Box 11390
Columbia, South Carolina 29211

SC Bar Number: 00747
Telephone: 803-799-9800
Fax: 803-799-3417
Other:
Email: bbockman@mcnair.net

NOTE: The cover sheet and information contained herein neither replaces nor supplements the filing and service of pleadings or other papers as required by law. This form is required for use by the Public Service Commission of South Carolina for the purpose of docketing and must be filled out completely.

DOCKETING INFORMATION (Check all that apply)

☐ Emergency Relief demanded in petition ☐ Request for item to be placed on Commission's Agenda expeditiously

☐ Other:

INDUSTRY (Check one)	NATURE OF ACTION (Check all that apply)		
☐ Electric	☐ Affidavit	☐ Letter	☐ Request
☐ Electric/Gas	☐ Agreement	☐ Memorandum	☐ Request for Certification
☐ Electric/Telecommunications	☐ Answer	☐ Motion	☐ Request for Investigation
☐ Electric/Water	☐ Appellate Review	☐ Objection	☐ Resale Agreement
☐ Electric/Water/Telecom.	☐ Application	☐ Petition	☐ Resale Amendment
☐ Electric/Water/Sewer	☐ Brief	☐ Petition for Reconsideration	☐ Reservation Letter
☐ Gas	☐ Certificate	☐ Petition for Rulemaking	☐ Response
☐ Railroad	☐ Comments	☐ Petition for Rule to Show Cause	☐ Response to Discovery
☐ Sewer	☐ Complaint	☐ Petition to Intervene	☐ Return to Petition
☐ Telecommunications	☐ Consent Order	☐ Petition to Intervene Out of Time	☐ Stipulation
☐ Transportation	☐ Discovery	☐ Prefiled Testimony	☐ Subpoena
☐ Water	☐ Exhibit	☐ Promotion	☐ Tariff
☐ Water/Sewer	☐ Expedited Consideration	☐ Proposed Order	☐ Other:
☒ Administrative Matter	☐ Interconnection Agreement	☐ Protest	
☐ Other:	☐ Interconnection Amendment	☒ Publisher's Affidavit	
	☐ Late-Filed Exhibit	☐ Report	

PUBLIC SERVICE COMMISSION OF SOUTH CAROLINA
CLERK'S OFFICE

NOTICE OF FILING & HEARING

DOCKET NO. 2000-366-A
(Fiscal Year 2010-2011)

APPLICATION OF CHEM-NUCLEAR SYSTEMS, LLC, A SUBSIDIARY OF DURATEK, INC., FOR ADJUSTMENT IN THE LEVELS OF ALLOWABLE COSTS AND FOR IDENTIFICATION OF ALLOWABLE COSTS

Chem-Nuclear Systems, LLC, a subsidiary of Duratek, Inc., ("Chem-Nuclear" or the "Company") filed an Application on September 30, 2010, with the Public Service Commission of South Carolina (the "Commission") pursuant to S.C. Code Ann. Section 48-46-40(B)(4) (Supp. 2009) and the Commission's Rules of Practice and Procedure for adjustment in the levels of certain allowable costs and for the identification of certain allowable costs for the operation of its regional low-level radioactive waste disposal facility located in the vicinity of Barnwell, South Carolina. The Atlantic Interstate Low-Level Radioactive Waste Compact Implementation Act authorizes and directs the Commission "to identify allowable costs for operating a regional low-level radioactive waste disposal facility in South Carolina."

A copy of the Application can be obtained from the Public Service Commission of South Carolina, 101 Executive Center Drive, Columbia, South Carolina 29210. Additionally, the Application is available on the Commission's website at www.psc.sc.gov and is available from Robert T. Bockman, Esquire, McNair Law Firm, P.A., Post Office Box 11390, Columbia, South Carolina 29211.

In order for testimony and evidence to be received from all interested parties, a public hearing will be held in the Commission's Hearing Room, Synergy Business Park, 101 Executive Center Drive, Columbia, South Carolina on Wednesday, April 13, 2011, at 10:30 a.m.

Any person who wishes to participate in this matter as a party of record with the right of cross-examination should file a Petition to Intervene in accordance with the Commission's Rules of Practice and Procedure, on or before November 19, 2010, and indicate the amount of time required for his presentation. Please include an email address for receipt of future Commission correspondence in the Petition to Intervene. Please refer to Docket No. 2000-366-A.

Any person who wishes to testify and present evidence at the hearing should notify the Clerk's Office, in writing, at the address below and the Office of Regulatory Staff at 1401 Main Street, Suite 900, Columbia, South Carolina 29201, on or before November 19, 2010, and indicate the amount of time required for his presentation. Please refer to Docket No. 2000-366-A.

Any person who wishes to be notified of any change in the hearing date, but does not wish to present testimony or be a party of record, may do so by notifying the Clerk's Office in writing at the address below on or before November 19, 2010. Please refer to Docket No. 2000-366-A.

PLEASE TAKE NOTICE

Any person who wishes to have his or her comments considered as part of the official record of this proceeding MUST present such comments in person to the Commission during the hearing.

Persons seeking information about the Commission's Procedures should contact the Commission at (803) 896-5100.

Public Service Commission of South Carolina
Attn: Clerk's Office
Post Office Drawer 11649
Columbia
South Carolina 29211

cba
10/8/10 13425

THE STATE MEDIA CO., INC.
Columbia, South Carolina
publisher of
The State

TATE OF SOUTH CAROLINA
OUNTY OF RICHLAND

rsonally appeared before me, Brian Nalepa, Advertising Operations anager of THE STATE, and makes oath that the advertisement,

otice of Filing and Hearing – Docket 2000-366-A Chem-Nuclear Systems LLC

as inserted in THE STATE, a daily newspaper of general circulation published in e City of Columbia, State and County aforesaid, in the issue(s) of

tober 12, 2010

bscribed and sworn to before me

this day October 13, 2010

Evelyn F Hassiman Notary Public

commission expires
rch 10, 2013

"Errors- the liability of the publisher on account of errors in or omissions from any advertisement will in no way exceed the amount of the charge for the space occupied by the item in error, and then only for the first incorrect insertion."